












HEIN | LEHMANN

CORIMA

WEDGE WIRE VERSIONS


WEDGE WIRE VERSIONS

Sb wedges – very good drainage due to large conicity

Designation	10 Sb	12 Sb	18 Sb	20 Sb	22 Sb	28 Sb	34 Sb	42 Sb	50 Sb
Wedge sizes									
Materials	1.4404	1.4307 1.4435	1.4307 1.4404	1.4301	1.4301 1.4404 1.4435 1.4539	1.4301 1.4373 1.4404 1.4435 1.4439 1.4462 3.7025	1.4016 1.4301 1.4404	1.4016 1.4034 1.4301 1.4409	1.4016

WEDGE WIRE VERSIONS

Sbb/Sc and H wedges – use for abrasive media

Designation	28 Sbb	34 Sbb	42 Sbb	50 Sbb	34 SC 2.2	H4
Wedge sizes						
Materials	1.4404 1.4410 1.4439 1.4462 1.4539	1.4016 1.4034 1.4301 1.4373 1.4507 1.4529 2.4602	1.4016 1.4439	1.4016 1.4034	1.4016 1.4404 1.4435	1.4301

CALCULATION OF THE PASSAGE SURFACE IN %

$$\frac{\text{Slot width}}{(\text{profile width} + \text{slot width})} \times 100$$